

Door Lock Systems and Accessories



QP 50 | QP 51 | QP 110 | QP 200 | QP 120 | QP 140 | QP 150 | QP 300 | QP 310 | QP 320 | PL 630 | ELECTROMECHANICAL LOCKS
ELECTROMAGNETIC LOCK | U LOCK APPARATUS | Z LOCK APPARATUS | L LOCK APPARATUS | 12V 1 AMPERE ADAPTOR

Places where reporting is not necessary, stand alone readers magnetic or mechanic locks can be used depending on the door type.

Stand alone readers can used with card, password, or fingerprint. With buttom mechanism for the back of the doors, contact or contactless versions are available.

DOOR LOCK SYSTEMS AND ACCESSORIES

www.polimek.com.tr

01



QP 50

Card + Password Capacity	: 500
Log Capacity	: -
Card	: 125 KHz
Communication Portal	: Stand-alone
Relay	: Yes
Ringtones	: Yes
Password	: Yes
Rear Led Light	: -
Operating voltage	: 12 V DC

02



QP 51

Card + Password Capacity	: 500
Log Capacity	: -
Card	: 125 KHz
Communication Portal	: Stand-alone
Relay	: Yes
Ringtones	: -
Password	: Yes
Rear Led Light	: -
Operating voltage	: 12 V DC

03



QP 110

Card + Password Capacity	: 2,000
Log Capacity	: -
Card	: 125 KHz
Communication Portal	: Stand-alone
Relay	: Yes
Ringtones	: Yes
Password	: Yes
Rear Led Light	: Yes
Operating voltage	: 12 V DC
Protection	: IP 68

04



QP 200

Card + Password Capacity	: 1,000
Log Capacity	: -
Card	: 125 KHz
Communication Portal	: Stand-alone
Relay	: Yes
Ringtones	: -
Password	: Yes
Rear Led Light	: -
Operating voltage	: 12 V DC

05



QP 120

Card + Password Capacity	: 1,000
Log Capacity	: -
Card	: 125 KHz
Communication Portal	: Stand-alone
Relay	: Yes
Ringtones	: Yes
Password	: Yes
Rear Led Light	: -
Operating voltage	: 12 V DC

06



QP 140

Card Capacity	: 1,000
Card	: 125 KHz
Contact Portal	: Stand-alone / Wiegand 26 input
Relay	: Yes
Ringtones	: Yes
Password	: Yes
Rear Led Light	: Yes
Operating voltage	: 12 V DC



07



QP 150

Card Capacity	: 1500
Card	: 125 kHz
Contact Portal	: Stand-alone / Wiegand 26 input
Relay	: Yes
Ringtones	: Yes
Password	: Yes
Rear Led Light	: Yes
Operating voltage	: 12 V DC

08



QP 300

LED touch keypad	
Card + Password Capacity	: 3000
Log Capacity	: -
Card	: 125 kHz
Contact Portal	: Stand-alone
Ringtones	: Yes
Password	: Yes
Operating Voltage	: 12V DC
Dimensions	: 115x60x16mm


09



QP 310

Card Capacity	: 3,000
Card	: 125 KHz
Contact Portal	: Stand-alone / Wiegand 26 input
Relay	: Yes
Ringtones	: Yes
Password	: Yes
Rear Led Light	: Yes

10



QP 320

Card Capacity	: 3,000
Card	: 125 KHz
Contact Portal	: Stand-alone/Relay: Yes
Ringtones	: Yes
Operating Voltage	: 12V DC
Dimensions	: 125x95x20mm

11



PL 630

Fingerprint Sensor	: Optical Glass Sensor
Fingerprint Capacity	: 1000 Fingerprint
	: 1000 Card
Log Capacity	: 100.000 log
Card	: 125 KHz
Dimensions	: 80x135x30mm
USB	: Yes
Network	: No
Relay	: Yes
Ringtones	: Yes
Operating Voltage	: 9V DC

12



ELECTROMECHANICAL LOCKS

Electric door lock striker	
280 kg. holding capacity	
Open without electricity (Fail Safe)	
12 V DC	



www.polimek.com.tr

13



ELECTROMAGNETIC LOCK

280/500 kg. holding capacity
Open without electricity (Fail Safe)
12 V DC

14



U LOCK APPARATUS

U Type magnetic lock apparatus
(280 / 500k kg)

15



Z LOCK APPARATUS

Z-type magnetic lock apparatus
(280 / 500k kg)

16



L LOCK APPARATUS

L-type magnetic lock apparatus
(280 / 500k kg)

17



12V 1 AMPERE ADAPTOR

12 V 1 Ampere Adaptor
Isolated Input Output
Suitable for constant usage
CE Standard